



GOVMARK

96-D Allen Boulevard
Farmingdale, New York 11735-5626 USA
Tel. +1 (631) 293-8944 Fax +1 (631) 293-8956
e-mail: testing@govmark.com

Received:07/20/2018 Completed:07/25/2018 Letter: M1 RV P.O.#: Test Report #: 3-27419-1-

Client's Identification Style: Vivid. Content: 81% Post-Consumer Recycled Polyester, 19% Elastomeric Polymer. Finish: None. Weight: 320 g/lm. Color: 1201 Grey. End Use: Upholstery.

Tested For: Bente Ellingsoe, Quality Department Key Test: AATCC 8 or 116 Crocking/ACT 95
Gabriel A/S
Hjulmagervej 55 Tel: 011-45-9630-3100 Ext:
DK-9000 Aalborg, Denmark Fax: 011-45-9811-6125

Test Category: Crocking Specifier: ACT NTR 4/16 PC: 4H LE 2015; V 08/15 /dl SM/mg

TEST PERFORMED:

- [x] AATCC Test Method 8 - Colorfastness to Crocking: AATCC Crockmeter Method, as specified for certain products
- [] AATCC Test Method 116 - Colorfastness to Crocking: Rotary Vertical Crockmeter Method, as specified for drapery prints

As cited by the ACT Voluntary Performance Guidelines (January 2015)
Evaluated by comparison with AATCC Chromatic Transference Scale

ACCEPTANCE CRITERIA

PRODUCT CATEGORY:	DRY:	WET:
[x] Upholstery	Grade 4 minimum	Grade 3 minimum
[] Direct Glue Wallcoverings	Grade 3 minimum	Grade 3 minimum
[] Wrapped Panels & Upholstered Walls	Grade 3 minimum	Grade 3 minimum
[] Drapery (solid)	Grade 3 minimum	Grade 3 minimum
[] Drapery (print)	Grade 3 minimum	Grade 3 minimum

RESULTS: Color Transfer to Transfer Cloth

Rating

Dry: Grade 4
Wet: Grade 4


RATING SYSTEM: Grade 5 - No color transfer
Grade 4 - Slight color transfer
Grade 3 - Moderate color transfer
Grade 2 - Considerable color transfer
Grade 1 - Excessive color transfer

CONCLUSION: Based on the reported Results and cited Acceptance Criteria, the item tested:

[x] Complies; [] Does not comply

REMARKS: None.

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.

 Phyllis Pettit AUG 09 2018

AUTHORIZED SIGNATURE

SGS GOVMARK

/jab
lpm